

2013-2014 School Year

Below are the number of doses and each vaccine required for school entry. Changes from the 2012-2013 requirements are indicated in **blue**.

3 to 5 years old	3 Hep B (Hepatitis B) 4 DTaP (Diphtheria, Tetanus & Pertussis) 3 Polio (Inactivated Polio) 1 MMR (Measles, Mumps & Rubella) 1 Varicella	
Kindergarten	3 Hep B 5 DTaP 4 Polio*	2 MMR 2 Varicella 2 Hep A*
Grades 1 to 5	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella
Grades 6 to 10	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella 1 Tdap (Tetanus & Pertussis) 1 MCV ⁴ (Meningococcal)
Grades 11 & 12	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella 1 Tdap (Tetanus & Pertussis) 2 MCV⁴ (Meningococcal)**

Hep B Two dose alternative adolescent schedule (Recombivax HB® given at age 11-15 years x 2 doses) is acceptable if properly documented.

DTaP Four doses of DTaP/DTP/DT are acceptable if 4th dose was administered on or after child's fourth birthday.

Polio Three doses of polio vaccine are acceptable if 3rd dose was administered on or after child's fourth birthday and the doses are all IPV or all OPV.

*The 4th dose of polio vaccine **must** be administered on or after child's fourth birthday. This applies only to kindergarten, 1st, 2nd and 3rd grades for 2013-2014.

MMR If given as single antigen, 2 Measles, 2 Mumps and 1 Rubella required.

Varicella Physician documentation of disease history, including month and year, is proof of immunity.

Hep A* Two doses recommended

MCV⁴** One dose is required, two doses are recommended per new CDC recommendation.

2014-2015 School Year (Proposed)

Below are the number of doses and each vaccine required for school entry. Changes from the 2013-2014 requirements are indicated in **blue**.

3 to 5 years old	3 Hep B (Hepatitis B) 4 DTaP (Diphtheria, Tetanus & Pertussis) 3 Polio (Inactivated Polio) 1 MMR (Measles, Mumps & Rubella) 1 Varicella	
Kindergarten	3 Hep B 5 DTaP 4 Polio*	2 MMR 2 Varicella 2 Hep A
Grades 1 to 5	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella
Grades 6 to 11	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella 1 Tdap (Tetanus & Pertussis) 1 MCV ⁴ (Meningococcal)
Grade 12	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella 1 Tdap (Tetanus & Pertussis) 2 MCV⁴ (Meningococcal)

Hep B Two dose alternative adolescent schedule (Recombivax HB® given at age 11-15 years x 2 doses) is acceptable if properly documented.

DTaP Four doses of DTaP/DTP/DT are acceptable if 4th dose was administered on or after child's fourth birthday.

Polio Three doses of polio vaccine are acceptable if 3rd dose was administered on or after child's fourth birthday and the doses are all IPV or all OPV.

*The 4th dose of polio vaccine **must** be administered on or after child's fourth birthday.

MMR If given as single antigen, 2 Measles, 2 Mumps and 1 Rubella required.

Varicella Physician documentation of disease history, including month and year, is proof of immunity.